

2015-2016 ILLINOIS SCHOOL IMMUNIZATION REQUIREMENTS

PRE 3 AND FIRST ENTRY PRE 4

Diphtheria, Pertussis, Tetanus (DTP or DTaP) – 4 doses required

*First 3 doses received no less than 4 weeks apart

*The interval between the 3rd and 4th dose must be at least 6 months

Polio – 3 or more doses required

*Has received all doses at intervals of no less than 4 weeks apart

Haemophilus Influenzae Type B (Hib)

*Has received the primary series of Hib vaccine **OR**

*a single dose of Hib vaccine between 15 and 59 months of age.

Hepatitis B (HB) – 3 doses required

*First two doses received no less than 4 weeks apart

*Interval between 2nd and 3rd dose must be two months

*Interval between 1st and 3rd dose must be at least 4 months

*3rd dose must have been received after 6 months of age.

Varicella (chicken pox) – one dose required

*Dose must have been received on or after 1st birthday

Measles, Mumps, Rubella (MMR) – one dose required

*Dose must have been received on or after 1st birthday

Pneumococcal Conjugate

*Has received the primary series of pneumococcal conjugate vaccine **OR**

*a single dose of pneumococcal conjugate vaccine between 24 and 59 months of

age

KINDERGARTEN OR 1ST GRADE (IF FIRST ENTRY INTO SCHOOL)

Diphtheria, Pertussis, Tetanus (DTP or DTaP) – 4 or more doses required

*First 3 doses received no less than 4 weeks apart

*Interval between the 3rd and 4th or final dose must be at least 6 months

*Last dose must have been received on or after 4th birthday

Polio – 3 or more doses required

*Has received all doses at intervals of no less than 4 weeks apart

*Last dose must have been received on or after 4th birthday

Varicella (chicken pox) – 2 doses required

*First dose must have been received on or after 1st birthday

*Second dose received no less than 4 weeks after first dose

Measles, Mumps, Rubella (MMR) – 2 doses required

*First dose must have been received on or after 1st birthday

*Second dose received no less than 4 weeks after first dose

SIXTH GRADE

Diphtheria, Pertussis, Tetanus (Tdap)

dose
*One dose required regardless of the interval since the last DTaP, DT, or Td

Varicella (chicken pox) – 2 doses required

*First dose must have been received on or after 1st birthday

*Second dose must have been received no less than 4 weeks after first dose

Hepatitis B

*Must show proof of 3 doses of Hepatitis B vaccine given at appropriate intervals
if series had not been completed as a preschooler.

Meningococcal Conjugate vaccine (MCV4) 1 dose